


62
1957
Ra

Exotic HOUSE PLANTS



LIBRARY
RECEIVED
FEB 20 1957
U. S. Department of Agriculture

JULIUS ROEHR'S CO., RUTHERFORD, N. J.

For more complete and descriptive information on House plants and their care, we recommend our books by A. B. GRAF:

EXOTIC PLANTS

Illustrated



JULIUS ROEHR'S COMPANY
RUTHERFORD, NEW JERSEY, U.S.A.

"EXOTIC PLANTS ILLUSTRATED"

Their Background and Requirements (3rd Edition)

1,300 plants pictured, 96 pages — \$2.50

New, large Reference book "EXOTICA"
ILLUSTRATED MANUAL OF INDOOR PLANTS

~~500~~


appr. ~~400~~ new illustrations of plants arranged by families, 85 shown in color; ~~2400~~ Common Names; Botanical Terms; Descriptive Text; Information on Care; Methods of Propagation; Geographic and Climatic Background.

A book every plant lover will want — ready soon — ~~\$10.00~~ and postage.

~~tent.~~ ~~\$17.50~~

SHIPPING ORDERS: Because of limited mother stock, orders are accepted with the understanding that they will be shipped only if and when saleable plants are available beyond needed propagating stock. If we cannot ship within a reasonable time, we will back order these plants, but return your remittance.

Cash with order. Shipments \$10.00 or over are sent prepaid (except when weight or size is unusual), parcel post special handling, or express, to destinations east of the Mississippi. Western states add 5% to cover additional postage. On orders under \$10.00 add 75c to help cover cost of handling and postage, or \$1.00 west of Mississippi. Minimum of \$3.00 on mail orders. Air shipments on request, collect. Foreign shipments via air freight, free of soil, f.o.b. New York. Plants will be sent in plastic or paper pots wherever possible; Orchids, unless requested otherwise, in clay pots, in which case we send transportation collect. We will pack carefully, but cannot be held responsible for poor arrival because of the perishable nature of many exotic plants. We try to avoid shipping during cold weather.



Plant lovers are cordially invited to visit our 130 greenhouses, any day of the week; however, sales in our Exotics department cannot be made Saturday p.m. or Sunday when our specialists are not available. The greenhouses are located on Paterson Avenue, via Highway 3, 8 miles from Lincoln Tunnel, New York. Inter-City Bus No. 35 from Port Authority Terminal in Manhattan, to Park Avenue, East Rutherford, then continue same direction 1 mile Bus No. 3.

JULIUS ROEHR'S COMPANY

RUTHERFORD, NEW JERSEY

EXOTIC HOUSE PLANTS PRICE LIST E-56

As Wholesale Growers we must depend on quantity production of popular Flowering and Foliage plants. Aside from these, we maintain a large collection of the more unusual indoor plants. Because of limited propagating stock, such Exotics are not readily available at all times, and our listings are therefore subject to supply. Specimen Plants for decorative purposes quoted on request.

SIZES indicated are relative and determined by growth habit:

SMALL plants generally are offshoots, divisions or rooted cuttings from 2½" or 3" pots.

MEDIUM size are more matured plants, usually 4" or 5" pots.

LARGE size will be good sized plants and may be in 5", 6", 7" or 8" pots, or larger.

COLLECTIONS. For your convenience, we offer the following selections of plants, properly labeled, at substantial savings in price:

| | |
|--------------------------------------|---------|
| 5 house plants, assorted | \$ 8.50 |
| 10 house plants in good selection | 21.00 |
| 10 hanging plants and trop. creep. | 7.50 |
| 10 dwarf Terrarium plants | 4.50 |
| 5 fancy tropical plants | 17.50 |
| 5 Bromeliads, different types | 8.50 |
| 10 Bromeliads, good selection | 17.50 |
| 20 Bromeliads, col. of fancy var. | 65.00 |
| 10 Cacti, suit. for pottery plantg. | 4.00 |
| 25 Cacti, col. all different | 10.00 |
| 10 Succulents, for novelty plantg. | 3.00 |
| 25 Succulents, interesting col. | 9.00 |
| 10 African Violets, Stand. Ass't | 8.50 |
| 25 African Violets, in best sel. | 20.00 |
| 10 African Violets, all fancy var. | 12.00 |
| 5 orchids, dif. types, for beginners | 18.00 |
| 10 Orchids, all around collection | 41.00 |

| | | |
|---|--------|-------------|
| ABUTILON megapot. varieg. | S 1.00 | M 2.00 |
| <i>striatum Souvenir de Bonn</i> | S 1.00 | M 2.00 |
| <i>striatum Thompsonii</i> | S 1.00 | M 2.00 |
| ACACIA armata paradoxa | 4" | 5.00 and up |
| ACALYPHA sanderi (<i>hispida</i>) | S 2.50 | M 7.50 |
| <i>wilkesiana macafeana</i> | S 1.50 | L 7.50 |
| <i>wilkesiana marginata</i> | S 1.50 | L 7.50 |
| <i>wilkesiana obovata</i> | S 2.00 | L 7.50 |
| ACANTHUS montanus | S 2.50 | M 5.00 |
| ACORUS gramineus albo-varieg. | S | .40 |
| AGAPANTHUS africanus | 5" | 4.00 |
| AGLAONEMA angustifolia | S | 2.50 |
| <i>commutatum</i> | S 1.00 | M 2.50 |
| <i>commutatum albo-variegata</i> | S | 2.50 |
| <i>costatum</i> | S | 3.50 |
| <i>cuscuaria</i> | S | 2.50 |
| <i>hospitum</i> | S | 4.00 |
| <i>modestum</i> | 2½" | .70 3" 1.50 |
| <i>oblongifolia</i> | M | 10.00 |
| <i>oblongifolia curtisii</i> | M | 15.00 |
| <i>pictum</i> | S | 15.00 |
| (<i>Schismatogl.</i>) <i>roebelinii</i> | S 2.50 | M 5.00 |
| <i>simplex</i> | S | 2.50 |
| <i>treubii</i> | S 3.50 | M 7.50 |
| ALLAMANDA cath. hendersonii | S 1.50 | M 4.00 |
| <i>neriifolia</i> | S 2.00 | M 5.00 |
| ALOCASIA chantrieri | M | 7.50 |
| <i>cucullata</i> | S 3.00 | M 7.50 |
| <i>cuprea</i> | S 5.00 | M 7.50 |
| <i>indica metallica</i> | M | 4.00 |
| <i>lindenii</i> | S | 12.00 |
| <i>longiloba</i> | S 5.00 | M 7.50 |
| <i>amazonica</i> | S 7.50 | M 10.00 |
| <i>macrorhiza variegata</i> | S | 6.00 |
| <i>odora</i> | S 5.00 | M 12.00 |
| <i>sanderiana</i> | S 6.00 | M 8.00 |
| <i>sedeni</i> | S | 7.50 |
| ALPINIA sanderae | S | 3.50 |
| ALTERNANTHERA yellow and red | 3" | 1.00 |

left to right:

BEGONIA glaucophylla

SYNGONIUM Emerald Gem

SCINDAPSUS argyraeus

BEGONIA Rex-Diadema

AGLAONEMA costatum





left to right:

XANTHOSOMA lindenii
CALATHEA roseo-lineata
AGLAONEMA roebelinii
ANTHURIUM andreanum


| | | | | | |
|--|---|-------|--------------------------------------|----|-------------|
| ANTHURIUM <i>andreanum</i> <i>album</i> | M | 12.00 | goegoensis | S | 3.50 |
| <i>andreanum</i> hybrid | M | 7.50 | <i>haageana</i> (<i>Scharffii</i>) | S | 1.00 |
| <i>andreanum</i> <i>roseum</i> | M | 10.00 | <i>heracleifolia</i> | S | 1.50 |
| <i>acaule</i> | | | <i>hydrocotylifolia</i> | S | 1.00 |
| <i>bakeri</i> | | | <i>epipsala</i> | | 3" 2.00 |
| <i>crystalinum</i> | S | 2.00 | <i>imperialis</i> | | S 3.00 |
| <i>digitatum</i> | | | <i>imperialis smaragdina</i> | | S 3.00 |
| <i>dussii</i> | | | Lady Wallow | | 3" 1.00 |
| <i>elegans</i> | | | <i>longipes petiolata</i> | | 3" 1.50 |
| <i>hookeri</i> | | | <i>lucerna</i> | S | 1.00 |
| <i>pentaphyllum</i> | | | <i>manicata aureo-cristata</i> | S | 1.50 |
| <i>radicans</i> | | | <i>metallica</i> | S | 1.00 |
| <i>scandens</i> | | | Neeley Gaddis | | 3" 1.50 |
| <i>scherzerianum</i> | S | 4.00 | Nellie Bly | S | 1.00 |
| <i>tetragonum</i> | | | <i>nelumbifolia</i> | | 3" 1.50 |
| <i>variabile</i> | | | <i>nitida odorata</i> | | S .75 |
| <i>veitchii</i> | S | 10.00 | orange - rubra | S | 1.50 |
| <i>warocqueanum</i> | S | 7.50 | orrell | | 3" 1.00 |
| <i>wrightii</i> | | | <i>pustulata argentea</i> | | S 2.50 |
| ARALIA see <i>Polyscias balfouriana</i> | | | <i>quadrilocularis</i> | | 3" 1.50 |
| ARALIA <i>elegantissima</i> | S | 2.50 | <i>rex diadema</i> Fairy | 2" | .75 M 1.50 |
| (<i>Fatsia</i>) <i>Sieboldi</i> | | | <i>rex diadema</i> Helen Teupel | 2" | .75 3" 1.50 |
| ARAUCARIA <i>excelsa</i> | | | <i>rex diadema</i> Salamander | S | .75 M 1.50 |
| ARDISIA <i>crenulata</i> | | | <i>rex Axel Lange</i> | 2" | 1.00 M 1.50 |
| ASPARAGUS <i>sprengeri</i> | S | .50 | <i>rex Bella</i> | 2" | .75 M 1.50 |
| <i>plumosus</i> | | | <i>rex Corkscrew</i> | 2" | .75 M 1.50 |
| ASPIDISTRA <i>lurida</i> varieg. | S | 3.50 | <i>rex Glory of St. Albans</i> | | M 1.50 |
| AUCUBA <i>japonica</i> variegata | S | 1.25 | <i>rex Her Majesty</i> | 2" | 1.00 M 1.50 |
| <i>japonica goldiana</i> | | | <i>rex Lucy Closson</i> | 2" | 1.00 M 1.50 |
| AZALEAS | | | <i>rex Meteor Superba</i> | 2" | .75 M 1.50 |
| Rhododendron <i>Simsii</i> hybrids (large Belgian indica:) | | | <i>rex Peace</i> | 2" | .75 M 1.50 |
| Memoria Sanders, Vervaeneana, Mad. | | | <i>rex Pres. Carnot</i> | 2" | .75 M 1.50 |
| Petrick, Albert and Elizabeth, Jean | | | <i>rex Seed Twist</i> | | 2" 2.00 |
| Haerens, Triomphe, etc. | M | 3.50 | <i>rex Silver Queen</i> | 2" | .75 M 1.50 |
| Dwarf Austrian indica: Hexe | M | 2.50 | <i>rex Vesuvius</i> | 2" | 1.00 M 1.50 |
| Rutherfordiana (Bobbink): | | | <i>Saxony</i> | S | 1.00 M 2.00 |
| Alaska, Snow Queen | M | 3.50 | <i>scabrida</i> | | 3" 2.00 |
| Pericat hybrids: | | | <i>schmidtiana</i> | | 3" 1.00 |
| Sweetheart Supreme, Rose Pericat | M | 2.50 | <i>Stitchleaf</i> | S | 2.00 |
| Kurume: Coral Bells (Kirin) etc. | M | 2.50 | <i>templinii</i> | | 3" 1.50 |
| BEGONIA <i>aconitifolia</i> | S | 1.50 | <i>ulmifolia</i> | | 3" 1.50 |
| <i>argenteo-guttata</i> , Angel Wing | M | 1.50 | <i>venosa</i> | | 3" 1.50 |
| <i>boweri</i> | | | BELOPERONE <i>guttata</i> | S | 1.00 M 2.00 |
| <i>boweri major</i> | | | <i>comosa</i> , red | | 3" 2.00 |
| <i>Cleopatra</i> | S | 1.50 | BOEHMERIA <i>argentea</i> | | M 5.00 |
| <i>coccinea May Queen</i> | | | BOUGAINVILLEA <i>glabra</i> | S | 1.50 |
| <i>compta</i> | S | 1.00 | <i>harrisii</i> (variegated) | S | 2.50 |
| <i>decandra</i> | | | Temple Fire | | 5" 7.50 |
| <i>Dorothy Grant</i> | | | BOUVARDIA <i>ternifolia</i> | S | 1.00 M 2.50 |
| <i>feastii</i> , Beefsteak Beg. | S | 1.00 | <i>ternifolia Giant Pink</i> | S | 1.00 |
| <i>foliosa</i> | | | <i>ternifolia Joy</i> | S | 1.25 |
| <i>fuchsioides</i> | S | .75 | <i>longiflora humboldtii</i> | S | 1.00 |
| <i>glaucophylla</i> | | | BOWIEA <i>volubilis</i> | S | 2.00 |

left to right:

TILLANDSIA lindeniana


ANANAS com. varieg.

AECHMEA fulgens disc.



Bromeliads

| | | | | | |
|--------------------------|---|-------|----------------------------|---|-------|
| AECHMEA calyculata | M | 2.50 | (bivittatus) roseus pictus | M | .50 |
| caudata variegata | M | 7.50 | rubescens | M | 1.25 |
| fasciata albo-marginata | M | 20.00 | zebrinus | M | 2.50 |
| fasciata | M | 5.00 | zonatus | M | 1.50 |
| fasciata variegata | M | 25.00 | CRYPTBERGIA meadii | M | 1.00 |
| fosteriana | M | 5.00 | DYCKIA fosteriana | M | 2.00 |
| fulgens | M | 5.00 | leptostachys | M | 2.50 |
| fulgens discolor | M | 4.00 | sulphurea | M | .75 |
| Hybrid Bert | M | 5.00 | GUZMANIA berteroniana | M | 3.50 |
| Hybrid Foster's Favorite | M | 3.00 | monostachya | M | 3.50 |
| hystrix | M | 7.50 | musaica | M | 25.00 |
| marmorata | M | 3.50 | lingulata | M | 5.00 |
| mexicana | M | 3.50 | zahnii | M | 15.00 |
| miniata discolor | M | 3.50 | HECHTIA glomerata | M | 5.00 |
| nudicaulis | M | 2.50 | HOHENBERGIA stellata | M | 5.00 |
| orlandiana | M | 3.50 | NEOREGELIA bahianus | M | 3.50 |
| ortgiesii | M | 3.00 | carolinae | M | 5.00 |
| pineliana | M | 3.50 | car. tricolor | M | 5.00 |
| racinae | M | 2.50 | charcorodon | M | 15.00 |
| ramosa | M | 7.50 | farinosa | M | 7.50 |
| rosea | M | 2.50 | hyb. tristis x marmorata | M | 3.00 |
| schultesiana | M | 6.00 | marechalii | M | 4.00 |
| weilbachii | M | 4.00 | marmorata | M | 4.00 |
| ANANAS comosus | M | 3.50 | princeps | M | 5.00 |
| comosus variegatus | M | 20.00 | NEOREGELIA chlorosticta | M | 3.50 |
| BILLBERGIA amoena | M | 2.00 | spectabilis | M | 5.00 |
| amoena rubra | M | 2.50 | tristis | M | 2.00 |
| amoena viridis | M | 5.00 | NIDULARIUM amazonicum | M | 7.50 |
| distachia | M | 1.50 | citrinum | M | 3.50 |
| distachia hybrid | M | 1.25 | fulgens | M | 5.00 |
| euphemiae | M | 1.25 | innocentii striatum | M | 7.50 |
| horrida | M | 3.50 | innocentii francois-spa | M | 5.00 |
| iridifolia concolor | M | 2.00 | innocentii lineatum | M | 15.00 |
| leptopoda | M | 2.00 | purpurescens | M | 3.50 |
| macrocalyx | M | 2.00 | PITCAIRNIA caroliniae | M | 5.00 |
| meyeri | M | 2.00 | PUYA chilensis | M | 1.50 |
| nutans | M | .75 | QUESNELIA arvensis | M | 7.50 |
| pallescens | M | 1.00 | liboniana | M | 1.50 |
| pyramidalis | M | 1.50 | RHODOSTACHYS andina | M | 3.50 |
| pyramidalis concolor | M | 2.50 | TILLANDSIA circinata | M | 1.50 |
| saudersii | M | 3.50 | fasciculata | M | 4.00 |
| saudersii hybrids | M | 2.00 | lindeniana | M | 15.00 |
| vittata | M | 2.50 | VRIESIA carinata (Marie) | M | 3.50 |
| zebrina | M | 5.00 | fenestralis | M | 10.00 |
| CRYPTANTHUS acaulis | M | .50 | guttata | M | 10.00 |
| acaulis diversifolius | M | 2.00 | hieroglyphica | M | 20.00 |
| acaulis ruber | M | .50 | hyb. erecta | M | 5.00 |
| beuckeri | M | .75 | hyb. favorite | M | 6.00 |
| bivittatus | M | 3.50 | hyb. magnifica | M | 5.00 |
| bromeloides | M | .75 | hyb. poelmanii | M | 6.00 |
| bromeloides tricolor | M | 3.50 | hyb. polonia | M | 5.00 |
| fosteriana | M | 5.00 | incurvata | M | 3.50 |
| lacerdae | M | 1.25 | philippo-coburgi | M | 5.00 |
| osyanus | M | 1.50 | splendens major | M | 7.50 |



left to right:

DIEFFENBACHIA picta

PANDANUS veitchii

DIEFFENBACHIA R. Roehrs

DRACAENA massangeana

| | | | | | |
|----------------------------------|--------|-----------------|--------------------------------------|--------|---------|
| BRUNFELSIA calycina (floribunda) | M | 4.00 | COSTUS afer | S | 1.50 |
| BUXUS japonica | S | .50 | sanguineus | 3" | 5.00 |
| CACTUS: see Succulents | | | zebrinus, Stepladder Plant | 3" | 4.00 |
| CALADIUM hyb. Ace of Hearts t. | .50 | 6" p 4.00 | CROSSANDRA undulifolia | 3" | 1.50 |
| hyb. Candidum | tubers | .50 6" p 3.50 | CROTON aucubifolia | S | 1.00 |
| hyb. John Peed | tubers | .50 6" p 4.00 | Appleleaf | S 2.00 | M 4.00 |
| hyb. Macahyba | tubers | .50 6" p 4.00 | (Codiaeum) var. bogoriense | 3" | 3.00 |
| hyb. Marie Moir | tubers | .50 6" p 4.00 | genuinum aureo-maculatum | S | 1.00 |
| Strapleaf | tubers | .75 4" p 3.00 | large leaf hybrid | S | 3.50 |
| CAMELLIA japonica alba plena | S | 4.00 M 10.00 | moluccanum Craigii | S | 2.50 |
| japonica Colonel Firey | S | 4.00 M 10.00 | pictum Baronne de Rothschild | M | 3.50 |
| japonica Debutante | S | 2.50 M 8.00 | spirale (Corkscrew) | S 2.00 | M 4.00 |
| japonica W. S. Hastie | S | 3.00 M 8.50 | CUPHEA, platycentra, Cigar Plant | 4" | 2.00 |
| jap. Princess Bochinachi | S | 3.00 M 8.50 | CURCULIGO capitulata | M | 5.00 |
| CESTRUM nocturnum | | S 2.00 | CYANOTIS somaliensis, Pussy Ears | S | .50 |
| CHAMAEDOREA elegans | S | 1.00 M 5.00 | CYPERUS alternifolius | S .50 | M .75 |
| CHAMAERANTHEMUM gaudichaudii | S | .75 | alternifolius nanus | S | 1.50 |
| igneum | | 2" 3.00 | diffusus | S .75 | M 1.25 |
| venosum | | S 1.50 | DATURA suaveolens | 4" | 3.50 |
| CHLOROPHYTUM | | | DICHORISANDRA (Tradescantia) reginae | S | 1.50 |
| com. Mandaianum | S | 1.00 M 2.00 | thyrsiflora | 3" | 1.00 |
| comosum picturatum | S | 1.25 M 2.50 | warszewiczii | 3" | 1.00 |
| elatum vittatum | S | .75 M 1.50 | DIEFFENBACHIA amoena | S 3.00 | L 6.00 |
| CHRYSANTHEMUM, Indoor vars. | S | .75 M 4.00 | barraquiniana | S 2.00 | M 4.00 |
| CISSUS albo-nitens | | 3" 1.50 | bausei | S 2.00 | M 4.00 |
| amazonica | | 3" 3.00 | daguense | L | 12.00 |
| antarctica | | 3" 1.00 4" 2.00 | fournieri | M | 7.50 |
| braziliensis | | M 3.00 | fosteri | S | 2.50 |
| discolor | | 3" 1.50 | hoffmannii | M | 8.00 |
| erosa | | 3" 1.00 | lancifolium (angustifolia) | M | 10.00 |
| neilgherrensis | | 3" 1.25 | leonii | M | 4.00 |
| quadrangularis | | S 1.00 | leopoldii | S 3.00 | M 5.00 |
| (Parthenocissus) henryana | | 3" .75 | memoria corsii | M | 4.00 |
| rhombifolia | S | .50 M 1.50 | oerstedii | S 2.00 | M 4.00 |
| rhombifolia mandaianum | S | .75 M 2.00 | oerstedii variegata | S | 2.50 |
| sicyoides | | 3" 1.00 | parlatorei marmorea | M 6.00 | L 10.00 |
| (Vitis) striata | | 2" 1.50 | picta | S 1.00 | M 2.50 |
| voinierianum | | M 3.50 | picta viridis | S 1.00 | M 3.00 |
| CITRUS ponderosa | | 3" 2.50 L 50.00 | picta jenmannii | S 2.50 | M 4.00 |
| taitensis | | 3" 2.50 | picta R. Roehrs | S 1.50 | M 3.00 |
| CLORDENDRUM thomsonae | | 3" 1.50 5" 5.00 | pittieri | M | 5.00 |
| fallax | | M 2.50 | splendens | S 2.50 | M 4.00 |
| CLIVIA miniata | | M 7.00 | DRACAENA australis | 3" | 3.00 |
| COCCOLOBIS grandiflora | | M 10.00 | deremensis longii | S | 3.50 |
| uvifera, Sea Grape | | M 3.00 | deremensis warneckei | S 1.50 | M 3.50 |
| COCOS weddelliana | | S 1.25 | Draco | S 2.50 | M 5.00 |
| COFFEA arabica (Coffee) | | M 4.00 | fragrans massangeana | S 1.50 | M 3.00 |
| COLEUS Lord Falmouth | | S 1.00 | fragrans lindenii | S 2.00 | M 4.00 |
| assorted | | S .50 | fragrans victoriae | S 5.00 | M 10.00 |
| COLOCASIA antiquorum fontan. | S | 1.50 M 5.00 | godseffiana | S | .50 |
| CONVOLVULUS cneorum | | 3" 1.00 | goldieana | M | 20.00 |

left to right:

NEPHROLEPIS whittmannii
PLATYCERIUM alcicorne
SELAGINELLA caulescens
ADIANTUM wrightii



| | | | | | |
|--------------------------------------|---------|---------|--|---------------|--------|
| (Cordyline) terminalis..... | S 1.50 | M 3.00 | POLYPODIUM irioides..... | 3" | 2.00 |
| terminalis E. Andre..... | S 2.00 | M 4.00 | mandaiicum..... | S 1.00 | M 5.00 |
| terminalis Baby Ti..... | S 2.50 | M 4.00 | POLYSTICHUM (Aspidium) tsus-sinense..... | S .50 | |
| terminalis Firebrand..... | S 2.00 | M 4.00 | aculeatum..... | S 2.00 | |
| DRIMIOPSIS kirkii..... | S 3.00 | M 6.00 | PTERIS cretica albo-lineata..... | S .35 | |
| ELEAGNUS pungens variegata..... | M 6.00 | | cretica rivertoniana..... | S .35 | |
| EPIPREMNOPTIS media..... | S 3.50 | | cretica wilsonii..... | S .35 | |
| EPIPREMNUM falcifolium..... | M 3.00 | | cretica wimsettii..... | S .35 | |
| pinnatum..... | M 3.00 | | ensiformis victoriae..... | S .40 | |
| ERANTHEMUM pseudo-alatum..... | 2" 1.50 | 3" 2.00 | flabellata..... | S .40 | |
| tricolor..... | 3" | 1.50 | quadriaurita argyraea..... | S .40 | |
| variegated white..... | 3" | 1.25 | semipinnata..... | S .35 | |
| ERICA melanthera rosea..... | 5" | 5.00 | tremula..... | S .35 | |
| EUCHARIS grandiflora..... | 3" | 3.00 | SELAGINELLA caulescens..... | M 1.25 | |
| grandiflora Moorei..... | 4" | 4.00 | kraussiana (denticulata)..... | M 1.00 | |
| EUONYMUS japonicus Silver Queen..... | S .50 | | kraussiana brownii..... | S .40 | |
| japonicus Yellow Queen..... | S .50 | | emmelliana..... | S .75 | |
| microphyllus variegatus..... | S 1.00 | | martensii..... | 3" 2.00 | |
| radicans argentei-marginata..... | S .75 | | martensii watsoniana..... | S 2.00 | |
| uncinata..... | 2" | .75 | uncinata..... | S 1.50 | |
| EURYA japonica variegata..... | 3" | 5.00 | wildenovii..... | S 2.00 M 2.50 | |
| EXACUM affinis..... | 3" | 1.25 | | | |
| FATSHERERA lizei..... | S .75 | M 2.50 | | | |
| lizei variegata..... | S 2.50 | | | | |

Ferns

| | | | | | |
|---------------------------------------|---------|------------|-----------------------------|-------------------|--|
| ADIANTUM caudatum..... | S .60 | | FICUS altissima..... | M 4.00 | |
| cuneatum..... | S .60 | M 2.00 | australis..... | S 2.00 M 2.50 | |
| dec. Pacific Maid..... | S .75 | M 2.00 | carica, Mission Fig..... | 3" 2.00 8" 10.00 | |
| ten. wrightii..... | S .75 | M 2.00 | elastica..... | M 2.00 L 4.00 | |
| ALSOPIHLA australis..... | M 10.00 | | elastica decora..... | M 3.50 L 6.00 | |
| ASPLENIUM bulbiferum..... | S 1.25 | | elastica doescheri..... | M 3.00 L 6.00 | |
| nidus -avis..... | S 1.50 | M 4.00 | elastica variegata..... | M 3.00 L 6.00 | |
| CIBOTIUM schiedei..... | S 2.50 | L 15.00 | benjamina exotica..... | S 2.00 L 4.00 | |
| CYATHEA arborea..... | M 35.00 | L 50.00 | Krishnae..... | S 5.00 M 8.00 | |
| DAVALLIA fejeensis..... | M 6.00 | | neriifolia..... | S 3.00 | |
| fejeensis plumosa..... | S 2.50 | M 5.00 | nitida..... | S 2.00 M 4.00 | |
| LYGODIUM scandens..... | S 2.50 | | pandurata..... | M 6.00 L 15.00 up | |
| NEPHROLEPIS cordifolia tesselata..... | S 1.50 | | parcellii..... | S 6.00 | |
| exalt. bostoniensis compacta..... | M 3.00 | | quercifolia..... | S 2.50 | |
| exaltata hillii..... | S 1.50 | M 4.00 | radicans variegata..... | 2" 1.00 3" 2.50 | |
| exalt. Roosevelt plumosus..... | S 1.00 | M 3.50 | religiosa..... | S 3.50 M 8.00 up | |
| exalt. whitmannii..... | S .75 | M 3.00 | repens..... | 2" .75 3" 1.25 | |
| philippinense..... | 3" | 1.25 | repens pumila..... | 2" 1.00 3" 2.00 | |
| PELLAEA rotundifolia..... | 2" 1.50 | 3" 2.50 | rubiginosa variegata..... | S 3.00 M 6.00 | |
| viridis..... | S .35 | | philippinensis..... | S 3.00 | |
| PLATYCERIUM aethiopicum..... | 2" 3.00 | M 10.00 up | utilis (Nekbudu)..... | M 7.50 | |
| alcicorne majus..... | M 7.00 | L 15.00 | FITTONIA argyroneura..... | 3" 1.00 | |
| bifurcatum..... | 2" 2.00 | M 6.00 up | verschaffelti..... | 3" 1.25 | |
| grande..... | 2" 5.00 | M 15.00 up | verschaffelti pearcei..... | 3" 1.00 | |
| hillii..... | M 7.50 | L 15.00 | | | |
| lemoinei..... | M 7.50 | L 15.00 | | | |
| | | | FRANCISCEA: see Brunfelsia | | |
| | | | FREYCINETIA multiflora..... | M 5.00 | |
| | | | FUCHSIA bohnstedtii..... | S 2.00 | |
| | | | GARDENIA jasminoides..... | S 1.50 M 4.00 | |
| | | | radicans..... | S 3.50 | |
| | | | veitchii..... | S .75 M 3.00 | |



left to right:

IXORA coccinea

FICUS exotica

ANTHURIUM scherz.

HOFFMANNIA ghiesbr.

MIMOSA pudica

GESNERIADS

| | | |
|--|------|------|
| <i>ACHIMENES</i> hyb. | 2" | 1.00 |
| <i>AESCHYNANTHUS</i> see <i>Trichosporum</i> (Gesner.) | | |
| <i>ALLOPLECTUS</i> <i>lynchii</i> | M | 2.50 |
| <i>sichlimii</i> | 2" | 1.00 |
| <i>COLUMNEA</i> <i>banksii</i> | S | 2.00 |
| <i>gloriosa</i> | S | 2.50 |
| <i>tulae flava</i> | S | 3.00 |
| <i>CORYTHOLOMA</i> (Gesneria) <i>cardinalis</i> | S | 2.00 |
| <i>EPISCIA</i> Chocolate Soldier | 3" | 1.50 |
| <i>chontalensis</i> | 2" | .75 |
| <i>cupreata</i> | 3" | 1.25 |
| <i>cupreata Acajou</i> | 3" | 1.25 |
| <i>cupreata Emerald Queen</i> | 3" | 1.25 |
| <i>cupreata Frosty</i> | 3" | 1.25 |
| <i>cupreata metallica</i> | 3" | 1.25 |
| <i>cupreata splendens</i> | 3" | 1.25 |
| <i>cupreata viridifolia</i> | 3" | 1.25 |
| <i>dianthiflora</i> | 2" | 2.00 |
| <i>fulgida</i> , Scarlet Episcia | 3" | 1.25 |
| <i>lilacina cuprea</i> | 3" | 1.00 |
| <i>licacina variegata</i> | 3" | 1.00 |
| <i>lilacina viridis</i> | 3" | 1.25 |
| <i>punctata</i> | 3" | 2.00 |
| <i>Silver Sheen</i> | 3" | 1.50 |
| <i>tessellata</i> see <i>NAUTILOCALYX bullatus</i> | | |
| <i>GLOXINIA</i> hybrids as available | 5" | 3.00 |
| <i>ISOLOMA</i> <i>hirsutum</i> see <i>KOHLERIA</i> | | |
| <i>KOHLERIA</i> (<i>ISOLOMA</i>) <i>hirsutum</i> | 3" | 2.00 |
| <i>pictum</i> | 3" | 3.50 |
| <i>NAUTILOCALYX</i> (<i>EPISCIA tess.</i>) <i>bullatus</i> | 3" | 1.50 |
| <i>RECHSTEINERIA</i> <i>cardinalis</i> | 3" | 2.00 |
| 4" | 3.00 | |
| <i>SAINTPAULIA</i> HYBRIDS: | | |
| <i>Admiral</i> (violet blue) | 3" | .75 |
| <i>Amethyst</i> (lavender) | 3" | .75 |
| <i>Azure Beauty</i> (dbl white w. blue) | 3" | 1.00 |
| <i>Baltic Sea</i> (light mauve) | 3" | 1.00 |
| <i>Bicolor</i> (two-tone) | 3" | .75 |
| <i>Blue Boy</i> (violet-blue) | 3" | .75 |
| <i>Blue Eyes</i> (light blue) | 3" | .75 |
| <i>Blue Peak</i> (deep blue, white edge dbl.) | 3" | 1.50 |
| <i>Blue Sail</i> (violet-blue) | 3" | 1.00 |
| <i>Confederate Beauty</i> (deep velvety bl.) | 3" | 1.25 |
| <i>Crimson Lake</i> (maroon) | 3" | 1.00 |
| <i>Double Delight</i> (light blue) | 3" | 1.00 |
| <i>Dupont Blue</i> (large blue) | 3" | 1.00 |
| <i>Dupont Silver Blue</i> (silvery blue) | 3" | 1.00 |
| <i>Fantasy</i> (speckled lilac) | 3" | 1.00 |
| <i>Geneva Star</i> (lavender, white edge) | 3" | 1.00 |
| <i>Lady Geneva</i> (blue, edged white) | 3" | .75 |

| | | |
|--|----|------|
| <i>Madonna</i> (pure white double) | 3" | 2.00 |
| <i>Mentor Boy</i> (blue - purple) | 3" | .75 |
| <i>Morning Girl</i> (purple red) | 3" | 1.25 |
| <i>Norseman</i> (medium blue) | 3" | .75 |
| <i>Painted Girl</i> (white and orchid) | 3" | 1.25 |
| <i>Pink Beauty</i> (clear pink) | 3" | .75 |
| <i>Pink Cloud</i> (large pink double) | 3" | 2.50 |
| <i>Pink Fantasy</i> (pink, darker eye) | 3" | 1.00 |
| <i>Pink Fringette</i> (lively pink) | 3" | 1.50 |
| <i>Pink Wonder</i> (large waxy-pink) | 3" | 1.25 |
| <i>Roehrs Rose</i> (pink w. dark eye) | 3" | 2.00 |
| <i>Roehrs Snow-White</i> (clear white) | 3" | .75 |
| <i>Ruffled Queen</i> (red lavender) | 3" | 1.50 |
| <i>Snow Prince</i> (large white) | 3" | 1.00 |
| <i>Spring Sky</i> (light blue) | 3" | 1.00 |
| <i>Star Girl</i> (white, blue edge) | 3" | 1.25 |
| <i>Woodpecker</i> (purple tipped) | 3" | 1.00 |

(For complete listing ask for African
Violet list.)

SAINTPAULIA SPECIES:

| | | |
|--|----|------|
| <i>amaniensis</i> | S | 2.00 |
| <i>diplotricha</i> (Kewensis) | S | 1.00 |
| <i>grotei</i> | S | 1.00 |
| <i>ionantha</i> | S | 1.00 |
| <i>magungensis</i> | S | 2.00 |
| <i>orbicularis</i> | S | 2.00 |
| <i>tongwensis</i> | S | 2.00 |
| <i>SINNINGIA reginæ</i> | 3" | 2.00 |
| <i>speciosa</i> | S | 2.50 |
| <i>speciosa</i> var. <i>caulescens</i> | 3" | 1.50 |
| <i>SMITHIANTHA</i> | S | 2.00 |
| <i>STREPTOCARPUS hybridus</i> | S | 1.50 |
| <i>TRICHOSPORUM marmorata zebrina</i> | M | 2.00 |
| <i>pulchrum</i> | S | 1.00 |
| <i>speciosus</i> | S | 1.25 |

| | | |
|---|----|-------|
| <i>GLORIOSA Rothschildiana</i> | M | 4.00 |
| <i>GRAPTOPHYLLUM pictum</i> | 3" | 1.25 |
| <i>GREVILLEA robusta</i> , Silk Oak | M | 5.00 |
| <i>GYNURA aurantiaca</i> , Velvet Plant | 3" | 1.50 |
| <i>HEDERA</i> : see IVIES | | |
| <i>HELICONIA aureo-striata</i> | M | 10.00 |
| <i>bihai</i> | M | 6.00 |
| <i>psittacorum</i> | S | 3.50 |
| <i>HEMIGRAPHIS colorata</i> | 3" | 1.25 |
| <i>HELXINE soleirolii</i> | S | .50 |
| <i>HIBISCUS rosa-sinensis</i> | S | 2.00 |
| <i>rosa-sinensis Cooperi</i> | 3" | 2.00 |
| <i>rosa-sinensis Double Red</i> | S | 2.50 |
| <i>rosa-sinensis Jigora</i> | S | 2.00 |
| <i>rosa-sinensis Singapore</i> | S | 2.00 |
| <i>HOFFMANNIA ghiesbrechtii</i> | 3" | 3.00 |
| <i>refulgens</i> | 3" | 5.00 |

left to right:

PHOENIX roebelinii
POLYSCIAS balfouri
ALOCASIA sanderiana
ALPINIA sanderae
AGLAONEMA commutatum



| | | | | | |
|-----------------------------------|------------|------|-------------------------------------|------------|-------|
| HOMALOMENA humilis | S | 2.50 | helix Hahn's selfbranching Ivy | S | .40 |
| rubescens | M | 5.00 | helix Hahn's variegated | S | .35 |
| wallisii | 3" | 6.00 | helix hibernica | S | .50 |
| HOYA angustifolia | S | 1.50 | helix Manda's crested Ivy | S | .40 |
| australis | S | 1.50 | helix maculata | S | .75 |
| bandaensis | S | 2.50 | helix Maple Queen | S | .40 |
| carnosa, Wax Plant | 2" .75 3" | 1.50 | helix marginata Silver Garland | S | .50 |
| carnosa exotica | S | 2.00 | helix Merion Beauty | S | .40 |
| carnosa variegata | 2" 1.00 3" | 1.50 | helix megheri | S | .75 |
| keyssii | S | 2.50 | helix minor, Baby Ivy | S | .40 |
| motsokii | 2" 1.00 3" | 2.00 | helix minima | S | .50 |
| HYDRANGEA hortensis Merveille | S .75 M | 3.50 | helix palmata | S | .50 |
| macrophylla variegata | 3" | 2.50 | helix Pin Oak | S | .35 |
| HYPOESTES sanguinolenta | 3" | 1.25 | helix Pittsburgh | S | .30 |
| IMPATIENS holstii | S | .75 | helix Shamrock | 2" | .50 |
| holstii alba | S | .75 | helix Silver Emblem | S | .75 |
| oliveri | S | 1.50 | helix Silver King | S | 1.00 |
| platypetala | S | 2.00 | helix Smithii | S | .75 |
| sultani | S | .75 | helix Sylvanian Beauty | S | .75 |
| sultani variegata | S | .75 | helix 238th Street | S | .50 |
| ISOLEPIS gracilis | S | 1.25 | helix taurica | 2" | .50 |
| <i>Ivies</i> | | | | | |
| HEDERA canariensis aureo-maculata | S | .75 | helix Weber's California | S | .40 |
| canar. vir. arb., Ghost Ivy | 3" | 2.00 | helix williamsiana | 2" | .75 |
| canariensis variegata | S | .75 | helix Jubilee | 2" | .75 |
| helix, Old English Ivy | S | .25 | IXORA coccinea | 3" | 3.00 |
| helix baltica | S | .50 | javanica | 3" 2.50 4" | 4.00 |
| helix Birdsfoot | S | .40 | JACOBINIA (Justicia) carnea | S 1.50 4" | 3.00 |
| helix chrysocarpa | S | .75 | (Pachystachys) coccinea | 3" | 3.00 |
| helix conglomerata | S | 1.00 | JASMINUM officinalis grandiflorum | 3" | 1.50 |
| helix conglomerata erecta | S | 1.00 | primulinum | S 1.25 M | 3.50 |
| helix cordata | S | .40 | revolutum | S 1.25 M | 3.50 |
| helix cristata, Parsley Ivy | S | .40 | sambac, Arabian Jasmine | S 2.00 M | 4.00 |
| helix curlilocks | 2" | .50 | sambac Grand Duke | S 2.50 M | 5.00 |
| helix denticulata | S | .50 | KENTIA forsteriana | S .75 M | 15.00 |
| helix Glacier | S | .60 | (large combinations 25.00 to 75.00) | | |
| helix Golddust | S | .75 | LIGUSTRUM lucidum | S | 2.50 |
| helix Green Spear | 2" | .75 | MALPIGHIA coccinea, Miniature Holly | 3" 2.00 | |
| | | | glabra | M | 3.00 |
| | | | MANETTIA bicolor | S | 1.25 |

left to right:

EUPHORBIA fulgens
RUBUS reflexus pictus
PIPER magnificum
FICUS rub. variegata
HOYA carnosa var.





left to right:

PEPEROMIA sandersi

PEPEROMIA obt. variegata

ARAUCARIA excelsa

CROTON Corkscrew

FICUS doescheri

MARANTACEAE:

| | | | | |
|--------------------------------|----|-------|------------|------|
| CALATHEA albertii | S | 1.50 | M | 3.00 |
| amabilis | S | 1.50 | M | 3.00 |
| argyraea | S | 1.50 | M | 2.50 |
| discolor | S | 2.00 | M | 4.00 |
| grandifolia | | M | | 3.00 |
| insignis | S | 7.50 | | |
| lietzei | 3" | 2.00 | | |
| lindeniana | M | 6.00 | | |
| makoyana | 3" | 4.00 | | |
| medii-picta | 3" | 5.00 | | |
| micans | S | 3.00 | | |
| princeps | S | 3.00 | M | 5.00 |
| roseo-lineata | S | 5.00 | M | 7.50 |
| setosa | | M | | 3.50 |
| van den heckeae | 3" | 2.00 | | |
| zebrina | S | 3.50 | M | 6.00 |
| CTENANTHE lubbersiana | 3" | 2.00 | 4" | 4.00 |
| oppenheimiana | | 3" | | 2.00 |
| oppenheimiana tricolor | | 3" | | 3.00 |
| MARANTA arundinacea | 3" | 1.50 | 4" | 2.50 |
| arundinacea variegata | | 3" | | 3.00 |
| bicolor | | 3" | | 1.50 |
| leuconeura kerchoveana | | 3" | | 1.00 |
| leuconeura massangeana | | 3" | | 2.50 |
| MARCGRACIA rectiflora | S | 3.00 | | |
| MIMOSA pudica, Sensitive Plant | S | 1.50 | | |
| MONSTERA acuminata | 3" | 2.00 | | |
| deliciosa juvenile form | 4" | 4.00 | L 15.00 up | |
| deliciosa maturity form | | M | 7.50 up | |
| friedrichsthalii | | S | 2.00 | |
| nechodomii | 3" | 1.50 | | |
| perforoides | | M | 6.00 | |
| pittieri | | S | 2.00 | |
| MUEHLENBECKIA platyclados | S | 1.50 | | |
| MUSA cavendishi | M | 15.00 | | |
| paradisiaca variegata | M | 20.00 | | |
| velutina | M | 10.00 | | |
| MYRSINE africana | M | 2.50 | | |
| MYRTUS communis | M | 2.00 | | |
| communis microphylla | 3" | 1.50 | M | 2.50 |
| communis variegatus | 2" | | | 2.50 |
| NEOMARICA northiana | S | 1.50 | M | 3.00 |
| NEPENTHES dominiana | S | 7.50 | | |
| intermedia | S | 10.00 | | |
| NEPHTHYTIS gravenreuthii | S | 7.50 | | |
| NICODEMIA diversifolia | S | 2.00 | M | 5.00 |
| PACHYSANDRA variegata | 3" | 2.00 | | |
| PALISOTA barteri | M | 3.00 | | |
| Elizabetiae | M | 3.50 | | |
| PANDANUS baptistii | S | 2.00 | M | 5.00 |

| | | |
|--------------------------------------|----|------|
| pacificus | S | 2.50 |
| pygmaeus | M | 4.00 |
| sanderi | S | 2.00 |
| utilis, Screw Pine | S | 3.50 |
| veitchii | S | 1.00 |
| veitchii compacta | S | 2.00 |
| PASSIFLORA alato-coerulea (Pfordtii) | S | 1.50 |
| coreacea | 3" | 1.50 |
| racemosa (princeps) | 3" | 1.50 |
| trifasciata (maculifolia) | 3" | 2.00 |
| PELARGONIUM crispum var. | 2" | 1.00 |
| denticulatum filicifolium | 3" | 1.50 |
| dwarf golden red | 3" | 1.50 |
| formosa | 2" | 1.50 |
| fragans | 2" | 1.00 |
| graveolens | 3" | 1.00 |
| graveolens marginata | 3" | 2.00 |
| grossularioides | 2" | .75 |
| Peace | 2" | 1.50 |
| Peaches and Cream | 3" | 1.50 |
| peltatum Mad. Margot | S | 1.00 |
| Tobey | 3" | 1.50 |
| tomentosum, Peppermint Geranium | 3" | 1.50 |
| zonale Black Vesuvius | S | 1.50 |
| zonale Burdette Coutts | S | 1.50 |
| zonale Distinction | 3" | 1.50 |
| zonale Happy Thought | 3" | 1.00 |
| zonale Skies of Italy | 3" | 1.50 |
| zonale Velma | 3" | 2.00 |
| PELLIONIA daveauana | S | .75 |
| pulchra | S | 1.00 |
| PEPEROMIA acuminata | 3" | 1.00 |
| clusiaeefolia | 3" | 1.50 |
| crassifolia | 3" | 1.00 |
| fosteriana | 2" | 1.00 |
| glabella variegata | 3" | 1.00 |
| hederifolia | 3" | 1.25 |
| incana | 3" | 1.50 |
| maculosa | 3" | 2.00 |
| magnoliaefolia variegata | 3" | 1.00 |
| metallica | 2" | 2.00 |
| monini | S | 1.00 |
| nummularifolia | 3" | .75 |
| obtusifolia, Pepper Face | 3" | .75 |
| obtusifolia variegata | 3" | 1.00 |
| pereskiaefolia | 3" | 1.50 |
| perucattii | 3" | 1.25 |
| resedaeflora | 3" | 2.00 |
| rotundifolia, Yerba Linda | 3" | 1.00 |
| rubella (minima) | 2" | .50 |
| sandersii | 3" | .75 |
| scandens | 3" | 1.00 |
| verticillata | 3" | 1.50 |
| PERISTROPHE angustifolia aureo-var. | 3" | 1.50 |

left to right:

EPIDENDRUM cochleatum

PHALAENOPSIS rotsch.

CATTELYA trianae

CYPRIPEDIUM insigne

DENDROBIUM nobile

ONCIDIUM ornythorh.

ODONTOGLOSSUM pulch.



Orchids

| | | | | | |
|------------------------------|---|-------|--------------------------|---|-------|
| ANOECTOCHILUS (Jewel Orchid) | S | 7.50 | pentotis | S | 5.00 |
| ANGRAECUM distichum | S | 5.00 | tampense | S | 2.50 |
| BRASSAVOLA nodosa | S | 5.00 | GOMEZA planifolia | S | 6.00 |
| digbyana | S | 10.00 | LAEGLA anceps | M | 4.00 |
| CATTELYA bowringiana | S | 7.50 | lindleyana | M | 5.00 |
| Enid | M | 8.50 | MAXILLARIA tenuifolia | M | 7.50 |
| gigas | M | 10.00 | ODONTOGLOSSUM pulchellum | S | 7.50 |
| mossiae | M | 5.00 | ONCIDIUM alatum | M | 7.50 |
| percivaliana | M | 4.00 | altissimum | M | 5.00 |
| Priscilla alba | M | 10.00 | baueri | M | 6.00 |
| schroederiae | M | 10.00 | carthaginense | S | 5.00 |
| trianae | M | 5.00 | flexuosum | S | 5.00 |
| COELOGYNE cristata | S | 5.00 | Java | S | 7.50 |
| dayana | M | 7.50 | lanceanum | M | 20.00 |
| massangeana | M | 7.50 | ormythorhynchum | S | 6.00 |
| speciosa | M | 4.00 | pulvinatum | M | 5.00 |
| CYMBIDIUM aloifoleum | M | 6.00 | sphacelatum | M | 5.00 |
| CYPRIPEDIUM aureum Surprise | M | 6.00 | tigrinum splendidum | S | 3.50 |
| fairrieanum | S | 7.50 | varicosum | S | 5.00 |
| harrissianum | M | 6.00 | wentworthianum | S | 7.50 |
| insigne | M | 3.50 | PHAIUS grandifolius | M | 7.50 |
| lawrenceanum | M | 7.50 | PHALAENOPSIS amabilis | M | 15.00 |
| maudiae | S | 12.50 | lueddemanniana | S | 7.50 |
| venustum | M | 7.50 | rothschildiana | M | 10.00 |
| CYRTOPODIUM punctatum | S | 7.50 | PLATYCLINIS glumacea | S | 5.00 |
| DENDROBIUM aggregatum | M | 7.00 | SCHOMBURGKIA crispa | M | 7.50 |
| moschatum | M | 10.00 | tibicinis | M | 10.00 |
| nobile | M | 7.50 | undulata | M | 12.00 |
| phalaenopsis schroederianum | M | 7.50 | SELENIPEDIUM grande | M | 15.00 |
| primulinum | M | 5.00 | Sedeni | M | 15.00 |
| wardianum | M | 10.00 | STANHOPEA insignis | M | 7.50 |
| EPIDENDRUM ciliare | S | 5.00 | wardii | S | 10.00 |
| lanceanum | S | 7.50 | VANDA coerulea | M | 10.00 |
| Obrienianum | M | 5.00 | teres | S | 3.00 |
| | | | tricolor | M | 15.00 |
| | | | VANILLA planifolia | S | 3.50 |
| | | | | M | 7.50 |
| | | | ZYGOPETALUM mackayi | M | 10.00 |



left to right:

SYNGONIUM auritum
PHILODENDRON hastatum
PHILODENDRON radiatum
PHILODENDRON oxyd. var.
PHILODENDRON pertusum

| | | | | | |
|---|---------|------------|---|---------|------------|
| <i>PHILODENDRON alatum</i> | S | 5.00 | <i>Silver Sheen</i> | S | 1.00 |
| <i>andreaeum</i> | S 4.00 | M 7.50 | <i>simsii</i> | S 2.00 | M 3.50 |
| <i>bipinnatifidum</i> | | M 10.00 | <i>sodiroi</i> | S 2.50 | M 4.00 |
| <i>brenesii</i> | | M 5.00 | <i>squamiferum</i> | S 3.00 | M 5.00 |
| <i>calophyllum</i> | | M 5.00 | <i>trifoliatum</i> | S 2.50 | M 4.00 |
| <i>cannifolium</i> | S 2.50 | M 5.00 | <i>tripartitum x squamiferum</i> | S 3.00 | M 5.00 |
| <i>cordatum</i> (true) | S | 2.00 | <i>trisectum</i> | S 2.00 | M 4.00 |
| <i>corrugosum</i> | S 2.50 | M 4.00 | <i>varifolium</i> | | S 2.50 |
| <i>crassum</i> | | M 4.00 | <i>verrucosum</i> | S 3.00 | M 5.00 |
| <i>crassinervum</i> | | M 3.00 | <i>warscewiczii</i> | | M 12.00 |
| <i>cruentum</i> | S 2.50 | M 4.00 | <i>wendlandii</i> | S 2.00 | M 4.00 |
| <i>erubescens</i> | S 2.00 | M 4.00 | <i>PHOENIX roebelinii</i> | S 2.00 | M 5.00 up |
| <i>fenzlii</i> | S 2.50 | M 4.00 | <i>PHORMIUM tenax</i> | | M 5.00 |
| <i>fibrillosum</i> | S 2.00 | M 4.00 | <i>PILEA cadierei</i> , Watermelon Pilea | S | .75 |
| "Florida" (squamif. x laciniat.) | M | 4.00 | <i>involuta</i> (spruceana) | S | 1.00 |
| <i>giganteum</i> | M 7.00 | L 12.00 | <i>microphylla</i> (muscosa) | S | .75 |
| <i>gloriosum</i> | | M 10.00 | <i>nummularifolia</i> , Creeping Charlie | S | .50 |
| (<i>Monstera</i>) <i>guttiferyum</i> | S 1.00 | M 2.50 | <i>serpyliifolia</i> | S | .50 |
| <i>hastatum</i> variegatum (flavescens) | S | 6.00 | <i>PIPER betle</i> | S | 2.00 |
| <i>imbe</i> | M | 6.00 | <i>nigrum</i> , Black Pepper | S | 1.50 |
| <i>krebsii</i> | S | 1.00 | <i>ornatum</i> | S | 1.25 |
| <i>lacerum</i> | S 3.00 | M 5.00 | <i>PITTOSPORUM tobira</i> | S 1.00 | L 20.00 |
| <i>laciñatum</i> (laciñosum) | S 2.50 | M 5.00 | <i>tobira</i> variegata | 4" 3.50 | L 25.00 |
| <i>lingulatum</i> | | S 3.00 | <i>PLECTRANTHUS oertendahli</i> | 3" | 1.50 |
| <i>Lynette</i> | M | 5.00 | <i>PLEOMELE gracilis</i> | S 3.50 | M 7.00 |
| <i>mamei</i> | M | 7.50 | <i>thalioides</i> | S 5.00 | M 7.50 |
| <i>mandaianum</i> | S 2.50 | M 4.00 | <i>PLUMBAGO capensis</i> | S 1.00 | M 4.00 |
| <i>melanochrysum</i> | S | 3.50 | <i>coccinea</i> | | S 2.00 |
| "mexicanum" | S 1.00 | M 2.50 | <i>PLUMERIA acuminata</i> Singapore | M | 12.00 |
| <i>micans</i> | S | .60 | <i>rubra</i> (acuminata), Frangipani | M | 10.00 |
| <i>oxycardium</i> (scandens) | S .35 | M 1.00 | <i>rubra</i> acutifolia | M | 10.00 |
| <i>oxycardium</i> variegatum | M | 1.25 | <i>PODOCARPUS macrophylla</i> | S .50 | L 35.00 up |
| <i>panduriforme</i> | S 2.00 | M 5.00 | <i>POINSETTIA</i> see <i>EUPHORBIA</i> | | |
| <i>pertusum</i> | 4" 4.00 | L 15.00 up | <i>POLYSCIAS</i> (<i>Aralia</i>) <i>balfouriana</i> | S | 2.00 |
| <i>pertusum</i> variegatum | M | 10.00 | (<i>Aralia</i>) <i>guilfoyl. victoriae</i> | S 2.50 | M 4.00 |
| <i>pittieri</i> | S 2.00 | M 6.00 | <i>POTHOS aureus</i> — see <i>SCINDAPSUS</i> | | |
| <i>radiatum</i> (dubium) | S 2.00 | M 4.00 | <i>jambea</i> | S | 3.50 |
| <i>ruizii</i> | M | 5.00 | <i>PUNICA granatum</i> nana | S | 2.50 |
| <i>sagittifolium</i> | S 2.50 | M 4.00 | <i>RHAPHIDOPHORA celatocaulis</i> | S | 4.00 |
| <i>sagittatum</i> | S 3.00 | M 5.00 | <i>decurviva</i> | M 5.00 | L 15.00 |
| <i>sanguineum</i> | M | 6.00 | <i>laciniosa</i> | S | 2.50 |
| <i>schottii</i> | S 2.00 | | <i>RHAPIS flabelliformis</i> (excel.) | M 10.00 | L 35.00 up |
| <i>selloum</i> | M | 5.00 | <i>humilis</i> , Miniature Fan Palm | | M 15.00 |



left to right:

SPIRONEMA warscew.
CISSUS antarctica
MUEHLENBECKIA platycl.
TOLMIEA menziesii
CISSUS rhomb. mand.

left to right:

FITTONIA versch. pearcei
ACORUS gram. albovar.
FICUS radicans var.
ISOLEPIS gracilis
HEMOGRAPHIS colorata
STENOTAPHRUM amer. var.




| | | | | | | | | |
|-------------------------------------|----------|------|---|---------|-----------------------------------|----|-------|----|
| RHEKTOPHYLLUM mirabile | M | 5.00 | L | 10.00 | SPIRONEMA fragrans (Trad.) | | | |
| RHODOSPATHA hastata | S | 5.00 | | | dracaenoides | S | 1.00 | |
| RHOEO discolor, Moses in the Cradle | M | 1.50 | | | melnikoffii | M | 1.00 | |
| discolor vittata | M | 2.50 | | | warscewiczianum | M | 1.25 | |
| RHYNCHOSPERMUM jasminoides | S | 2.50 | | | STENOSPERMATION popayanense | M | 3.00 | |
| ROHDEA japonica marginata | division | 5.00 | | | STENOTAPHRUM americanum variegat. | M | 1.00 | |
| ROSA sinensis minima, Fairy Rose | 3" | 2.50 | | | STEPHANOTIS floribunda | S | 2.00 | |
| ROSMARINUS officinalis | S | 1.00 | M | 2.00 | STEUDNERA discolor | M | 10.00 | |
| RUBUS reflexus pictus | M | 3.00 | | | STRELITZIA reginae, | 5" | 4.00 | |
| RUELLIA makoyana | S | .75 | | | L (per growth) | | 7.50 | |
| SAINTPAULIA see GESNERIADS. | | | | | STROBILANTHES dyerianus | S | 1.00 | |
| SALVIA dorisianum | 3" | 1.00 | | | SYNGONIUM albolineatum | S | .50 | |
| SANCHEZIA nobilis glaucophylla | S | 2.50 | | | auritum, Five Fingers | S | 2.00 | M |
| SAXIFRAGA sarmentosa | S | .35 | | | erythrophylum | S | 2.50 | |
| sarmentosa tricolor | S | 1.50 | | | hoffmannii | S | 1.00 | |
| SCHEFFLERA actinophylla | S | 1.50 | M | 4.00 up | microphyllum | M | 2.00 | |
| SCHISMATOGLOTTIS novo-guin. | S | 2.50 | M | 4.00 | podophyllum (Nephthytis liberica) | S | .40 | |
| ornata | S | 4.00 | | | podophyllum Emerald Gem | S | .50 | |
| roebelinii see AGLAONEMA | | | | | Ruth Fraser | 3" | 1.50 | |
| SCHIZOCENTRON elegans | S | 1.00 | | | xanthophyllum, Green Gold | S | .75 | |
| SCINDAPSUS aureus (Pothos) | M | .75 | | | wendlandii | S | 1.00 | |
| aureus Marble Queen | M | 1.25 | | | Ysidro | M | 3.00 | |
| pictus | M | 2.50 | | | TABERNAEMONTANA coronaria | S | 2.00 | M |
| pictus argyraeus (Pothos argyr.) | M | 2.00 | | | TETRANEMA (Allophyton) mexicana | S | 1.00 | |
| SENECIO micanoides | S | .75 | | | TOLMIEA menziesii | 2" | .50 | 4" |
| tropaeolum | 3" | 1.25 | | | TRADESCANTIA fuscata | S | 1.50 | |
| SERJANIA communis glabra | M | 2.00 | | | fluminensis variegata | M | 1.00 | |
| SERISSA foetida variegata | S | .75 | M | 2.00 | navicularis | S | .75 | |
| SETCREASEA pallida, Purple Heart | M | 1.00 | | | THUNBERGIA grandiflora | 5" | 6.00 | |
| striata | M | 1.00 | | | VITIS see CISSUS. | | | |
| SONERILA margaritacea | 3" | 3.00 | | | XANTHOSOMA lindenii | 3" | 5.00 | |
| SPARMANNIA africana | M | 6.00 | | | atrvirens | M | 3.00 | |
| SPATHICARPA sagittifolia | S | 2.50 | | | violaceum | M | 3.00 | |
| SPATHIPHYLLUM blandum | 5" | 6.00 | | | daguense | 3" | 3.00 | |
| cannaefolium | S | 4.00 | | | ZAMIOCULCAS zamiifolia | M | 4.00 | |
| floribundum | S | 2.50 | M | 4.00 | ZEBRINA pendula | M | .75 | |
| friedrichsthali | M | 7.50 | | | pendula quadricolor | M | 1.00 | |
| kochii (Clevelandi) | S | 2.50 | M | 5.00 | purpusii | S | .50 | |

left to right:

DRACAENA terminalis
DRACAENA sanderiana
DRACAENA marginata
DRACAENA goldieana
DRACAENA longii
DRACAENA godseffiana





left to right:


KALANCHOE somaliense
KALANCHOE marmorata
CEPHALOCEREUS senilis
SEDUM guatemalense
STAPELIA gigantea
EUPHORBIA splendens

Succulents including Cacti.

| | | | | | |
|---|---|------|---|---------|------|
| AEONIUM arboreum | S | 1.00 | ECHEVERIA elegans | S | .35 |
| arboreum atro-purpureum | S | .40 | derenbergii | S | .35 |
| cooperi | S | .40 | derenbergii hyb. | S | .40 |
| haworthii | S | .35 | hybrid Doris Taylor | M | 1.00 |
| AGAVE americana | S | .30 | glaucha | S | .50 |
| caribaea | S | 2.50 | gibbiflora metallica | M | 1.00 |
| decipiens | S | .30 | perbella | S | .75 |
| sisalana | S | .25 | pulvinata | S | .40 |
| stricta | M | 2.50 | pulv-oliver | S | .75 |
| victoriae reginae | S | 1.25 | set-oliver | S | .75 |
| ANACAMPSEROS rufescens | S | .50 | ECHINOCACTUS grusonii | S | .75 |
| ALOE africana | S | .50 | ECHINOCEREUS chrysacantha | S | .50 |
| arborescens | S | .75 | ECHINOPSIS multiplex | S | .50 |
| aristata | S | .60 | ESPOSTOA lanata | S | .75 |
| beguinni | S | .75 | EUPHORBIA abyssinica | S | 3.50 |
| brevifolia | S | .25 | fulgens | S | 1.00 |
| ciliaris | S | .50 | grandicornis | M | 3.00 |
| ferox | S | .50 | hermentiana | S | .75 |
| humilis | S | .35 | lactea, Candelabra Plant | S | .75 |
| humvir | S | .40 | lactea cristata | S | 7.50 |
| nobilis | S | .35 | pulcherrima (Poinsettia) red | S | .50 |
| spinossissima | S | 1.00 | pulcherrima white, pink | S | .75 |
| striata | S | .75 | pulvinata | S | .75 |
| variegata | S | .75 | pseudo-cactus | S | .75 |
| vera | M | 5.00 | splendens, Crown of Thorns | S .50 M | 3.00 |
| virens | S | .40 | splendens bojeri | S | .75 |
| ASTROPHYTUM asterias | S | .50 | submammillaris, Corn Cob Cactus | S | .40 |
| myriostigma | S | .50 | tirucallii | S | .75 |
| ornatum | S | .70 | FAUCARIA tigrina, Tiger Jaws | S | .40 |
| BRYOPHYLLUM daigremontianum | S | .25 | FENESTRARIA rhopalophylla | S | 1.00 |
| hybrid (daigremontianum x tubifl.) | S | .40 | FEROCACTUS pilosus | S | .50 |
| pinnatum | S | .50 | FURCRAEA selloa marginata | S | 3.00 |
| tubiflorum | S | .25 | GASTER-ALOE Spotted Beauty | S | .75 |
| CARALLUMA europaea | S | .75 | GASTERIA hybrida | S | .50 |
| lutea | S | .75 | maculata | S | .75 |
| CEPHALOCEREUS chrysacantha | S | .50 | verrucosa | S | .75 |
| palmeri | S | .50 | GASWORTHIA (Gasteria-Haworthia hyb.) | S | 1.00 |
| polylophus | S | 1.50 | GRAPTOPETALUM paraguayense | S | .50 |
| senilis | S | 1.25 | GYMNOCALYCIUM mihanovichii | S | .75 |
| CEREUS jamaicaru | S | .40 | HAWORTHIA chalwinii | S | 1.00 |
| CEREUS peruvianus hybrid | S | .35 | coarctata | S | .50 |
| peruvianus monstrosa | S | 1.00 | cuspidata | S | .60 |
| CEROPEGIA woodii | S | 1.00 | cymbiformis | S | .60 |
| CHAMAECEREUS sylvestris | S | .50 | fasciata | S | .50 |
| COTYLEDON barbeyi | S | 1.00 | margaretifera | S | .50 |
| CRASSULA arborescens, Jade Plant | S | .25 | minima | S | 1.00 |
| arbor. variegata | S | .50 | radula | S | .75 |
| argentea | S | .40 | tesselata | S | 1.00 |
| cultrata | S | .50 | HEREROA neli | S | .40 |
| deltoides | S | .50 | HUERNIA pillansii | S | .75 |
| lactea | S | .35 | zebrina | S | .60 |
| pseudo-lycopodioides | S | .25 | HYLOCEREUS undatus (nightblooming) | M | 1.50 |
| pagoda, Necklace Plant | S | .30 | KALANCHOE coccinea Blossfeldiana | S | .75 |
| ruperstris, Rosary Plant | S | .30 | fedtschenkoi | S | .25 |
| tecta | S | .75 | marmorata | S | .40 |
| tetragona, Miniature Pine Tree | S | .30 | somaliense | S | .30 |
| | | | synsepala | S | 2.50 |
| | | | tomentosa, Panda Plant | S | .40 |

left to right:

ALOE spinosissima
ALOE beguinni
ASTROPHYTUM ornatum
PACHYVERIA haagei
CARRALLUMA lutea
STAPELIA variegata



SUCCULENTS INCLUDING CACTI (Continued)

| | | | | | |
|-------------------------------------|---|------|--------------------------------|---|------|
| KLEINIA pendula | S | 1.00 | PERESKIA aculeata, Lemon Vine | S | 1.00 |
| tomentosa | S | 1.00 | godseffiana | S | 1.50 |
| LEMAIREOCEREUS beneckei | M | 3.50 | PHYLLOCACTUS hybrid Brilliant | S | 1.50 |
| dumortieri | S | .50 | stenopetalum | M | 2.50 |
| griseus | S | .50 | PILOCEREUS marginatus | S | .50 |
| pruinosus | S | .40 | PLEIOSPILOS bolusii | S | .60 |
| stellatus | S | .50 | nelii | S | .60 |
| weberi | S | .50 | PORTULACARIA afra variegata | S | .40 |
| LITHOPS species, Living Stone | S | 1.00 | REBUTIA kupperiana | S | .50 |
| LOBIVIA bruchii | S | .50 | RHIPSALIS cassutha | S | 1.50 |
| MAMMILLARIA affinis | S | .50 | cereuscula | S | 1.00 |
| bocasana, Fish Hook | S | .40 | paradoxa, Link Plant | S | 2.00 |
| bogotensis | S | .50 | SANSEVIERIA arborescens | S | 2.50 |
| camptotricha | S | .50 | compacta | S | .50 |
| celsiana | S | .50 | cornui | S | .75 |
| columbiana | S | .50 | cylindrica | S | 2.50 |
| elongata | S | .75 | ehrenbergii | M | 5.00 |
| elegans | S | .50 | hahnii | S | .50 |
| geminispina | S | .50 | nelsonii | S | .75 |
| hahnii | S | .50 | parva | S | .75 |
| parkinsonii, Owl Eyes | S | .50 | subspicata | S | .75 |
| phaeacantha | S | .50 | trifasciata | S | .35 |
| potosina | S | .50 | trifasciata craigii | M | 2.50 |
| mystax | S | .50 | trifasciata laurentii | S | .50 |
| rhodantha | S | .50 | zeylanica (true species) | S | 2.50 |
| vaupelii | S | .50 | SCHLUMBERGERA gaertneri | S | 2.00 |
| MELOCACTUS maxonii | S | .50 | makoyana | S | 2.00 |
| MESEMBRIANTHEMUM agnatum | S | .30 | russelliana | S | 2.50 |
| deltoides | S | .30 | SEDUM adolphii | S | .25 |
| MONVILLEA cavendishii | S | 1.00 | guatemalense, Christmas Cheer | S | .25 |
| MONADENIUM lugardae | S | 1.00 | Hummels hybrid | S | .35 |
| MYRTILLOCACTUS geometrizans | S | .50 | morganianum, Burro Tail | S | .50 |
| NOPALEA cochenillifera | S | .75 | pachiphyllum | S | .25 |
| NOTOCACTUS apricus | S | .50 | treleasei | S | .25 |
| leninghausii | S | 1.00 | SENECIO stapeliiformis | S | .75 |
| mammulosus | S | .50 | SELENICEREUS McDonaldiae | S | 2.00 |
| ottonis | S | .50 | pteranthus | S | 1.00 |
| NYCTOCEREUS serpentinus | S | .50 | SEMPERVIVUM calcareum | S | .35 |
| OPUNTIA brasiliensis | S | .50 | STAPELIA gigantea, Zulu Giants | S | .50 |
| erinacea, Grizzly Bear | S | .75 | hirsuta | S | .50 |
| ficus - indica | S | 1.00 | variegata, Star Flower | S | .35 |
| mamillata, Boxing Glove | S | .40 | TRICHOCEREUS aureicolor | S | .50 |
| microdasy | S | .25 | pachanoi | S | .50 |
| microdasy albispina | S | .50 | pasacana | S | .60 |
| monacantha | S | .50 | TRICO-CEREUS schickendantzii | S | .75 |
| schickendantzii, Lion's Tongue | S | .35 | spachianus | S | .50 |
| subulata | S | .75 | terscheckii | S | .60 |
| rufida | S | .25 | URBINIA agavoides (Echeveria) | S | .75 |
| velutina | S | 1.00 | ZYGOCACTUS truncatus | S | 1.00 |
| vilis | S | .40 | Gertrude Beahm | S | 1.00 |
| PACHYCEREUS pringlei | S | 1.00 | Madame Andre | S | 1.50 |
| PACHYPHYTUM compactum | S | .60 | delicatum | S | 1.50 |
| cornelius hybrid | S | .50 | W. A. Manda | S | 1.50 |
| haagei | S | .75 | violaceum | S | 1.25 |
| PACHYVERIA brevifolia | S | .60 | Llewellyn | S | 1.00 |
| clavifolia crestata | S | .75 | Thanksgiving | S | 1.00 |
| PEDILANTHUS tithymaloides variegat. | S | .75 | Amelia Manda | S | 2.00 |
| tithymaloides nana compacta | S | 1.00 | South Orange | S | 1.00 |

